

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	169	amplitude near3 demodulator with first near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 12:15
L2	23211	modulator same carrier near4 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 12:17
L3	0	L1 and L2 and heterodyne near3 mixing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 12:18
L4	56	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 12:18

L5	10928	340/572.1,568.1,540,500,10.1,825.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 13:33
L6	64	heterodyne and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 13:33
L7	61	heterodyne and L5	US-PGPUB; USPAT	ADJ	ON	2009/08/12 13:33
L8	1	(US-6107910-\$).did.	USPAT	ADJ	ON	2009/08/12 13:57
L9	1	L8 and (amplitude near4 demodulator)	US-PGPUB; USPAT	ADJ	ON	2009/08/12 13:58
L10	10	heterodyne and (amplitude with demodulator) and L5	US-PGPUB; USPAT	ADJ	ON	2009/08/12 14:05
L11	4	demodulator and (modulate with carrier near4 signal) same interrogat\$4 tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 15:35
L12	12	"2304947"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 16:59

S1	327	Forster\$3lan\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:16
S2	740414	(reader or interrogator or scanner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:17
S3	1861268	rfid or eas or eid or tag or transponder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:18
S4	1861453	rfid or eas or eid or tag or transponder or (smart near label)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:19
S5	4912	(first or second) with radiation near3 frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:24
S6	2818	(first or second) with loop near3 antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:25

S7	264235	(field near effect transistor) or FET or BJT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:26
S8	137588	amplitude with (modulat\$3 or demodulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:28
S12	1	S1 and ((reader or interrogator or scanner) and (rfid or eas or eid or tag or transponder or (smart near label)) and (FET or (field near effect near transistor))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:34
S13	11	"2284323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 09:37
S15	3368	340/10.1,825.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 11:50
S16	740414	(reader or interrogator or scanner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 11:51

S17	82	S15 and (S16 near3 interfac\$3 near3 (device or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 11:51
S18	983	(low frequency) same (high frequency) same S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 12:08
S19	65	S18 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 12:08
S20	529	(low frequency) with (high frequency) with interfac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 12:12
S21	8	S15 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 12:12
S22	82	reader near3 interfacing near3 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 12:18

S23	39	low near3 high near3 frequency near3 conversion near3 (device or apparatus or system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 12:21
S24	5	S23 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 12:21
S25	10	"2421695"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 14:23
S26	670	ISO near2 "15693"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 14:36
S27	449	rfid and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 14:36
S28	247	smart near3 tag near3 (reader or interrogator or scanner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:17

S29	75	S28 and microwave	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:20
S30	23	S29 and modulator and demodulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:22
S31	327	Forster\$31an\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:27
S32	243	S31 and (rfid or eas or eid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:27
S33	213	S32 and (interrogator or scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:27
S34	19	S33 and microwave	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:27

S35	40	S31 and microwave	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:29
S36	3368	340/10.1,825.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:38
S37	48	S36 and ((long or far) near3 range near3 (system or apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 15:38
S38	27	(ISO near2 "15693") and (smart near2 tag)	US-PGPUB; USPAT	ADJ	ON	2009/08/04 16:07
S39	740414	(reader or interrogator or scanner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:11
S40	1861453	rfid or eas or eid or tag or transponder or (smart near label)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:11
S41	86153	S39 and S40	US-PGPUB; USPAT	ADJ	ON	2009/08/04 16:11

S42	1159	S41 and (patch near3 antenna)	US-PGPUB; USPAT	ADJ	ON	2009/08/04 16:13
S43	379	S42 and (loop near3 antenna)	US-PGPUB; USPAT	ADJ	ON	2009/08/04 16:14
S44	2	S43 and (amplitude near3 demodulator)	US-PGPUB; USPAT	ADJ	ON	2009/08/04 16:14
S45	3	(low near3 frequency) convert\$4 system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:18
S46	4	(reader or scanner or interrogator) with interfac\$4 with (device or system or (apparatus)) same "13.56" same "2.45"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:21
S47	1933	low with high with frequency same (reader or scanner or interrogator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:26
S48	4675	340/572.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:34

S49	4223	MHz same GHz same conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:34
S50	19	S48 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:35
S51	2057	(reader or scanner or interrogator) with frequency with interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:46
S52	168	(reader or scanner or interrogator) near3 frequency near3 interfac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/04 16:47
S53	132	(reader or scanner or interrogator) near3 frequency near3 interfac\$4	US-PGPUB; USPAT	ADJ	ON	2009/08/04 16:48
S54	107	S53 and (rfid or tag or transponder)	US-PGPUB; USPAT	ADJ	ON	2009/08/04 16:48
S55	34	S54 and ((microwave or high) near3 frequenc\$3)	US-PGPUB; USPAT	ADJ	ON	2009/08/04 16:49
S56	32	((long near range) with (short near range)) same tag\$4 near5 system	US-PGPUB; USPAT	ADJ	ON	2009/08/04 16:57

S57	4	"20020175805"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:37
S58	6	"6674365"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:37
S59	2	"20030229486"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:39
S60	22	"6330971"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:39
S61	3	"20050180465"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:42
S62	3	"20050258966"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:44

S63	11	"6804262"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:48
S64	22	"6330971"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:49
S65	2	"20030229486"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:50
S66	2	"20070096879"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:50
S67	2	"20070096876"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 13:51
S68	10892	340/572.1,568.1,540,500,10.1,825.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 14:08

S69	94027	(first near3 frequency) same (second near3 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 14:09
S70	623	S68 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 14:09
S71	432	S70 and (reader or scanner or interrogator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 14:11
S72	414	S71 and (tag or eas or eid or rfid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 14:11
S73	138	S72 and (low near3 frequency) and (high near3 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 14:12
S74	94	S73 and (interfac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 14:13

S75	9035	S69 and (frequency near3 convers\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 15:45
S76	1590	S75 and ((low frequency) same (high frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 15:46
S77	553	S76 and (power near3 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 15:50
S78	81	S77 and (field effect transistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 15:53
S79	670	(ISO near2 "15693")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:00
S80	702	(ISO near3 "15693")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:01

S81	6	(ISO near3 "15693") same (high near3 frequency same GHz)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:01
S82	702	(ISO near3 "15693")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:02
S83	3	"19831767"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:08
S84	1	10002311C1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:10
S85	7	"6310581"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:13
S86	2	"5813348".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:19

S87	57	S68 and (reader near5 interfacing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:44
S88	374	(multi\$5 near5 protocol near5 conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:55
S89	27	S88 and (scanner or reader or interrogator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 16:57
S90	8	(first near3 frequency with "13.56") same (second near3 frequency with "2.45")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:00
S91	94027	(first near3 frequency) same (second near3 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:03
S92	22053	S91 and (interfac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:04

S93	4536	S91 and (order near5 magnitude)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:04
S94	216	S93 and (power near5 conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:05
S95	55	S94 and (amplitude near3 modulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:06
S96	46	(dual near3 frequenc\$3) near3 (reader or scanner or interrogator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:11
S97	150	(dual near3 frequenc\$3) with (reader or scanner or interrogator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:11
S98	9	S97 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:11

S99	71	(dual near3 band) near5 (transponder or interrogator or tag or scanner or reader)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:16
S100	7	"6504636"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:32
S101	3220	(low near3 frequency) near5 (high near3 frequency) near5 conver\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:33
S102	7	S68 and S101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/05 17:33
S103	1	1209615A2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 09:52
S104	376	(magnetic\$4 near4 couple\$4) and (modulat\$4 near4 load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 14:38

S105	3	S104 and ((FET or (field effect transistor)) with (connect\$4 or couple\$4 or attach\$4) with antenna)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 14:40
S106	106	S104 and (FET or (field effect transistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 14:41
S107	10912	340/572.1,568.1,540,500,10.1,825.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 14:41
S108	8	S106 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 14:41
S109	1	S107 and (mutually near4 magnetical\$4 near4 coupled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 14:43
S110	69322	(inductiv\$4 near4 coupl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 15:09

S111	680	S107 and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 15:09
S112	741071	(reader or interrogator or scanner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 15:09
S113	529	S112 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 15:09
S114	66	S113 and (FET or (field near3 effect near3 transistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 15:10
S115	66	S113 and (FET or (field effect transistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 15:12
S116	938	reflective near3 amplif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 16:11

S117	52	(FET or (field effect transistor)) and S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 16:43
S118	2	S116 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 16:53
S119	3	(FET or (field effect transistor)) same S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 16:53
S120	1	(US-5055835-\$).did.	USPAT	ADJ	ON	2009/08/06 16:56
S121	1	S120 and ((field effect transistor) or MOSFET or FET)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 16:59
S122	2	"5963144".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:00
S123	1	(US-5963144-\$).did.	USPAT	ADJ	ON	2009/08/06 17:01

S124	1	(FET or (field effect transistor) or MOSFET) and S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:01
S125	7	(FET or (field effect transistor) or MOSFET) same (variable near3 load) same antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:03
S126	1515	reflective near5 amplif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:10
S127	52	S126 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:10
S128	67	((field effect transistor) or MOSFET or FET) with antenna with load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:22
S129	2	refect\$5 near3 amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:49

S130	5	refect\$5 near3 amplif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:51
S131	12017	reflect\$5 near3 amplif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:51
S132	1798	reflection near3 amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:51
S133	2	S132 and rfid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:52
S134	330	S132 and antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:52
S135	103	S134 and (mosfet or fet or (field effect transistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/06 17:53

S136	8	"4167681"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 09:24
------	---	-----------	---	-----	----	---------------------

8/ 12/ 2009 5:24:36 PM
C:\ Documents and Settings\ anguyen10\ My Documents\ Patent Applications\ 10520175\ Search.wsp